

SEQUENCE LISTING

<110> Boles, T. Christian
 Weir, Lawrence
 Stone, Benjamin B

<120> Detection of Non-Viral Organisms with SRP RNA

<130> EXT-072C2

<150> US 60/090,063
 <151> 1998-06-19

<150> US 10/024,944
 <151> 2001-12-19

<150> US 09/336,609
 <151> 1999-06-18

<160> 27

<170> PatentIn version 3.1

<210> 1
 <211> 21
 <212> RNA
 <213> Escherichia coli

<400> 1
 gucagguccg gaaggaagca g 21

<210> 2
 <211> 22
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Complementary sequence of conserved E. coli 4.5S RNA region nucleotide 44-65

<400> 2
 gctgcttcct tccggacctg ac 22

<210> 3
 <211> 21
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: shortened probe derived from complementary sequence of E. coli 4.5S RNA region 44-65

<400> 3

gctgcttcct tccggacctg a 21

<210> 4
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:a shorter probe derived from c
omplementary sequence of E. coli 4.5S RNA region 44-65

<400> 4
gctgcttcct tc 12

<210> 5
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: a short probe derived from co
mplementary sequence of E. coli 4.5S RNA region 44-65

<400> 5
gctgcttcct tccg 14

<210> 6
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: a short probe derived from th
e complementary sequence of E. coli 4.5S RNA region 44-65

<400> 6
gacctgacct ggta 14

<210> 7
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:adaptor probe

<400> 7
gctgcttcct tccggacctg agtgaatacg ttccccgggc t 41

<210> 8
<211> 41
<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:adaptor probe

<400> 8

gctgcttcct tccggacctg acaaaaacga taaaccaacc a 41

<210> 9

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:adaptor probe

<400> 9

ggcacacgcg tcatctgc 18

<210> 10

<211> 29

<212> RNA

<213> Escherichia coli

<400> 10

uuuaccaggu cagguccgga aggaagcag 29

<210> 11

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:complementary sequence of conserved E. coli 4.5S RNA region nucleotides 36-65

<400> 11

gctgcttcct tccggacctg acctggtaaa 30

<210> 12

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: acrydite capture probe 13-III-ac

<400> 12

ttttttttta ggcccgggaa cgtattcac 29

<210> 13

<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:fluorescent sandwich probe 2F

<400> 13
ggcacacgcg tcatctgc 18

<210> 14
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:alkaline phosphatase conjugate
d reporter probe RP-2

<220>
<221> misc_feature
<222> (1)..(1)
<223> n is gm

<220>
<221> misc_feature
<222> (2)..(2)
<223> n is cm

<220>
<221> misc_feature
<222> (3)..(3)
<223> n is um

<220>
<221> misc_feature
<222> (4)..(4)
<223> n is gm

<220>
<221> misc_feature
<222> (5)..(5)
<223> n is cm

<220>
<221> misc_feature
<222> (6)..(6)
<223> n is um

<220>

<221> misc_feature
<222> (7)..(7)
<223> n is um

<220>
<221> misc_feature
<222> (8)..(8)
<223> n is cm

<220>
<221> misc_feature
<222> (9)..(9)
<223> n is cm

<220>
<221> misc_feature
<222> (10)..(10)
<223> n is gm

<220>
<221> misc_feature
<222> (11)..(11)
<223> n is um

<220>
<221> misc_feature
<222> (12)..(12)
<223> n is cm

<400> 14
nnnnnnnnnn nn

12

<210> 15
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:gel-immobilized acrydite-modified capture probe CP-1

<220>
<221> misc_feature
<222> (7)..(7)
<223> n is cm

<220>
<221> misc_feature
<222> (8)..(8)

<223> n is gm

<220>

<221> misc_feature

<222> (9)..(9)

<223> n is gm

<220>

<221> misc_feature

<222> (10)..(10)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc_feature

<222> (11)..(11)

<223> n is cm

<220>

<221> misc_feature

<222> (12)..(12)

<223> n is cm

<220>

<221> misc_feature

<222> (13)..(13)

<223> n is um

<220>

<221> misc_feature'

<222> (14)..(14)

<223> n is gm

<220>

<221> misc_feature

<222> (15)..(15)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc_feature

<222> (16)..(16)

<223> n is cm

<220>

<221> misc_feature

<222> (17)..(17)

<223> n is cm

<220>
<221> misc_feature
<222> (18)..(18)
<223> n is um

<220>
<221> misc_feature
<222> (19)..(19)
<223> n is gm

<400> 15
ttttttnnnn nnnnnnnnn

19

<210> 16
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:gel-immobilized acrydite-modified capture probe CP-2

<220>
<221> misc_feature
<222> (7)..(7)
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>
<221> misc_feature
<222> (8)..(8)
<223> n is gm

<220>
<221> misc_feature
<222> (9)..(9)
<223> n is gm

<220>
<221> misc_feature
<222> (10)..(10)
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>
<221> misc_feature
<222> (11)..(11)
<223> n is cm

<220>
<221> misc_feature

<222> (12)..(12)
<223> n is cm

<220>
<221> misc_feature
<222> (13)..(13)
<223> n is um

<220>
<221> misc_feature
<222> (14)..(14)
<223> n is gm

<220>
<221> misc_feature
<222> (15)..(15)
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>
<221> misc_feature
<222> (16)..(16)
<223> n is cm

<220>
<221> misc_feature
<222> (17)..(17)
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>
<221> misc_feature
<222> (18)..(18)
<223> n is um

<220>
<221> misc_feature
<222> (19)..(19)
<223> n is gm

<400> 16
ttttttnnnn nnnnnnnnn

19

<210> 17
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:gel-immobilized acrydite-modif

ied capture probe CP-3

<220>

<221> misc_feature

<222> (7)..(7)

<223> n is cm

<220>

<221> misc_feature

<222> (8)..(8)

<223> n is gm

<220>

<221> misc_feature

<222> (9)..(9)

<223> n is gm

<220>

<221> misc_feature

<222> (10)..(10)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc_feature

<222> (11)..(11)

<223> n is cm

<220>

<221> misc_feature

<222> (12)..(12)

<223> n is cm

<220>

<221> misc_feature

<222> (13)..(13)

<223> nis um

<220>

<221> misc_feature

<222> (14)..(14)

<223> n is gm

<220>

<221> misc_feature

<222> (15)..(15)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc_feature
<222> (16)..(16)
<223> n is cm

<220>
<221> misc_feature
<222> (17)..(17)
<223> n is cm

<220>
<221> misc_feature
<222> (18)..(18)
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>
<221> misc_feature
<222> (19)..(19)
<223> n is gm

<400> 17
ttttttnnnn nnnnnnnnn

19

<210> 18
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:gel-immobilized acrydite-modified capture probe CP-4

<220>
<221> misc_feature
<222> (7)..(7)
<223> n is cm

<220>
<221> misc_feature
<222> (8)..(8)
<223> n is gm

<220>
<221> misc_feature
<222> (9)..(9)
<223> n is gm

<220>
<221> misc_feature
<222> (10)..(10)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc_feature

<222> (11)..(11)

<223> n is cm

<220>

<221> misc_feature

<222> (12)..(12)

<223> n is cm

<220>

<221> misc_feature

<222> (13)..(13)

<223> n is um

<220>

<221> misc_feature

<222> (14)..(14)

<223> n is gm

<220>

<221> misc_feature

<222> (15)..(15)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc_feature

<222> (16)..(16)

<223> n is cm

<220>

<221> misc_feature

<222> (17)..(17)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc_feature

<222> (18)..(18)

<223> n is 2'-O-methyl adenosine ribonucleotide

<220>

<221> misc_feature

<222> (19)..(19)

<223> n is gm

<400> 18
ttttttnnnn nnnnnnnnn

19

<210> 19
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:gel-immobilized acrydite-modified capture probe CP-5

<220>
<221> misc_feature
<222> (7)..(7)
<223> n is cm

<220>
<221> misc_feature
<222> (8)..(8)
<223> n is gm

<220>
<221> misc_feature
<222> (9)..(9)
<223> n is gm

<220>
<221> misc_feature
<222> (10)..(10)
<223> n is 2'-O-methyl adenosine ribonucleotide

<220>
<221> misc_feature
<222> (11)..(11)
<223> n is um

<220>
<221> misc_feature
<222> (12)..(12)
<223> n is cm

<220>
<221> misc_feature
<222> (13)..(13)
<223> n is um

<220>
<221> misc_feature

<222> (14)..(14)
<223> n is gm

<220>
<221> misc_feature
<222> (15)..(15)
<223> n is 2'-O-mthyl adenosine ribonucleotide

<220>
<221> misc_feature
<222> (16)..(16)
<223> n is cm

<220>
<221> misc_feature
<222> (17)..(17)
<223> n is 2'-O-mthyl adenosine ribonucleotide

<220>
<221> misc_feature
<222> (18)..(18)
<223> n is cm

<220>
<221> misc_feature
<222> (19)..(19)
<223> n is gm

<400> 19
ttttttnnnn nnnnnnnnn

19

<210> 20
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:5S probe (66nf)

<400> 20
ccacactacc atcggcgct

19

<210> 21
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: nucleic acid probe

<400> 21
 gctgcttccg tc 12

<210> 22
 <211> 13
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: nucleic acid probe

<400> 22
 cggacctgac ctg 13

<210> 23
 <211> 13
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: nucleic acid probe

<400> 23
 aggaccugac aug 13

<210> 24
 <211> 13
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: nucleic acid probe

<400> 24
 cggaccugac cag 13

<210> 25
 <211> 13
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: nucleic acid probe

<400> 25
 cggaccugac aag 13

<210> 26
 <211> 13
 <212> RNA
 <213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: nucleic acid probe

<400> 26
cggaucugac acg

13

<210> 27
<211> 12
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:alkaline phosphatase-cojugated
reporter probe RP-1

<220>
<221> misc_feature
<222> (1)..(1)
<223> n is gm

<220>
<221> misc_feature
<222> (2)..(2)
<223> n is cm

<220>
<221> misc_feature
<222> (3)..(3)
<223> n is um

<220>
<221> misc_feature
<222> (4)..(4)
<223> n is gm

<220>
<221> misc_feature
<222> (5)..(5)
<223> n is cm

<220>
<221> misc_feature
<222> (6)..(6)
<223> n is um

<220>
<221> misc_feature
<222> (7)..(7)
<223> n is um

<220>
<221> misc_feature
<222> (8)..(8)
<223> n is cm

<220>
<221> misc_feature
<222> (9)..(9)
<223> n is cm

<220>
<221> misc_feature
<222> (10)..(10)
<223> n is um

<220>
<221> misc_feature
<222> (11)..(11)
<223> n is um

<220>
<221> misc_feature
<222> (12)..(12)
<223> n is cm

<400> 27
nnnnnnnnnn nn

12